

Colorless, Tasteless, Odorless

# PARACOS KF-70

Issue Date : Mar 05, 2012

## SPECIFICATIONS

Items	Test Method	Specification	Result
Appearance	Visual	Clear	Clear
Odor & Taste	-	None	None
Saybolt Color	ASTM D 156	Min. +30	+30
Specific Gravity, 15/4 °C	ASTM D 4052	0.82-0.86	0.834
Flash Point, C.O.C °C	ASTM D 92	Min. 160	202
Pour Point, °C	ASTM D 97	Max -9	-33
Kinematic Viscosity, 40.0 °C cSt	ASTM D 7042	11-13.4	12.65
Refractive Index, D20	ASTM D 1218	Max. 1.475	1.4601
Readily Carbonizable Substance	ASTM D 565/USP	Pass	Pass
Polynuclear Compounds 260-350nm	ASTM D 2269/USP	Max. 0.1	Pass

- The values quoted above are typical of normal production. They do not constitute a specification.

## KEY FEATURES

- FDA regulation 21 CFR 172.878 & 21 CFR 178.3620(a) for direct food-contact Satisfies
- KF-Series meets the requirement of the USP/NF/BP/JP/Ph.Eur.\* for Mineral Oil


\*KF-70 is not covered by the European Pharmacopoeia due to its viscosity but it complies with all the purity requirements of this pharmacopoeia.

## PACKING TYPE

- FLEXI TANK : In net 19.5MT (5% tolerance)
- ISO TANK : In net 19.5MT (5% tolerance)
- DRUMS : In net 168KG new steel drums

## APPLICATIONS

- Food Industry
- Pharmaceuticals and Veterinary products
- Coating for fertilizer
- Plastic & Elastomers
- Textile Industry
- TPE, TPV, TPR
- LIBS(Lithium-ion Battery Separator)
- Miscellaneous



**SEOJIN CHEMICAL CO.,LTD.** T. + 82-52-712-0482 F. + 82-52-257-0486  
 Head Office & Plant (Zip 680-150) 491 Yong Yeon Dong Nam-gu Ulsan, S. Korea

